



Waterless Co. LLC
 1050 Joshua Way, Vista, CA 92081
 Tel: (888)663-5874 or (760)727-7723 or 800-244-6364
 Fax: (760)727-7775
www.waterless.com

**Maintenance
 Instructions**

BlueSeal® Refill

DO NOT REMOVE TRAP FOR REFILL

One 3 oz. refill will last for approx. 1500 uses.
No need to refill daily!! See interval chart below.



1. Screw the *PortionAid* onto a *BlueSeal*® quart bottle.
2. Squeeze bottle to measure out 3 oz. of *BlueSeal*® into *PortionAid*.

3. Pour *BlueSeal*® directly into *EcoTrap*® towards back of urinal.

Task Time: 20 Seconds

BlueSeal® Trap Liquid Estimated Intervals

Approximate Users per Day per urinal	3 oz. <i>BlueSeal</i> ® Refill
1 - 75*	Monthly
76 - 150*	Twice a Month
151 - 225*	Three Times a Month
226 - 300*	Weekly
* Based on a 5 day work week	

Cleaning Instructions:

1. Remove any foreign objects and other debris from base of urinal bowl.
2. Use only non-abrasive cleaners and a soft sponge/mop on urinal surfaces for cleaning.
3. Use cleaner on wet sponge, cloth, or mop. Then wipe clean all surfaces of urinal, especially the lower front.
4. Dry all surfaces with a soft cloth or soft rag.
5. Maintenance Video may be viewed online at: www.waterless.com

EcoTrap[®] Exchange



REMOVE OR EXCHANGE EcoTrap[®] ONLY WHEN NEEDED, i.e. slow urine flow or pooling. The table below shows approximate intervals.

1. Have the *X-Traptor[®]* tool, new *EcoTrap[®]* a plastic bag and a deodorizer ready and on hand.
2. Insert *X-Traptor[®]* into trap slots and engage on knobs.
3. While **slowly** pulling up, wiggle tool side to side to loosen *EcoTrap[®]*. **DO NOT PULL STRAIGHT UP!** Once the *EcoTrap[®]* is removed, spray some deodorizer into the drain.
4. With *EcoTrap[®]* still on *X-Traptor[®]*, pour liquid contents into the open drain hole of urinal.
5. Deposit used *EcoTrap[®]* in plastic bag. Disengage and remove *X-Traptor[®]*.
6. Seal the plastic bag and discard in locally appropriate manner.
7. Loosen any sediment accumulation in drain hole with any long object.
8. Pour a full bucket, approx. 5 gallons, of *preferably hot water* into drain hole of urinal to flush sediments from waste line before inserting new *EcoTrap[®]*.
9. Insert new *EcoTrap[®]* into drain hole of urinal.
Press *EcoTrap[®]* down, below drain hole rim.
10. Fill new *EcoTrap[®]* with about 12 oz. of water. Add 3 oz. of *BlueSeal[®]*. See *BlueSeal[®]* refill instruction sheet.

Task Time: 3 - 4 Minutes

***EcoTrap[®]* Replacement Estimated Intervals**

Approximate Users per Day per urinal	<i>EcoTrap[®]</i> Exchange
1 - 30*	Once a Year
31 - 60*	Twice a Year
61 - 90*	Three Times a Year
91 - 120*	Four Times a Year
* Based on 7000 uses per urinal and 240 days usage.	

{Maintenance Video may be viewed online at: www.waterless.com}