

# CHICAGO FAUCETS

Last As Long As The Building



2100 SOUTH CLEARWATER DRIVE  
DES PLAINES, ILLINOIS 60018-5999

FITTING NO.

748-665PSH

SUBMITTED MODEL NO.

JOB NAME

ITEM NO.

SUBMITTED AS SHOWN

SUBMITTED AS NOTED


SEE ATTACHED FOR  
SUBMITTED MODIFICATION



ADA COMPLIANT

IS ASSUMED FOR USE OF SUPERCEDED OR VOIDED DATA.

ROUGHING IN DIMENSIONS MAY VARY AND ARE SUBJECT TO CHANGE. NO RESPONSIBILITY



DIMENSIONS IN INCHES AND [MILLIMETERS].

## TECHNICAL DATA

- DRINKING FOUNTAIN
- 665 PUSH BUTTON HANDLE
- MVP METERING CARTRIDGE
- MANUAL VOLUME CONTROL
- FINISH: CHROME PLATE

- 0.7 GPM [2.6 L/min] FLOW CONTROL
- ASME A112.18.1M COMPLIANT
- CSA B125 COMPLIANT
- NSF 61 COMPLIANT

DATE: 05-06-02

BY: SID

CHK'D:

APP'D:

REV: A

748-665PSH